



**DECLARATION OF PERFORMANCE**

No.: RigiTherm\_032\_A\_12,5\_EPS\_80\_LE\_0314

*Product Type*

**EN 13950 : A 12,5 EPS 80, Typ P**

*Identification of the construction product*

**RigiTherm 032**

**Batch identification consists of the production date printed on the pallet label**

*Intended use*

**Gypsum plasterboard thermal/acoustic insulation  
composite panels for internal insulation**

*Manufacturer*

**Saint-Gobain Rigips GmbH  
Schanzenstraße 84  
D-40549 Düsseldorf**

*Systems of assessment and verification of constancy of performance*

**System 3 for reaction to fire  
System 4 for all other properties**

*The notified body*

**Materialprüfanstalt für das Bauwesen MPA Bau Hannover  
– identification number: 0764**

*performed the initial type testing regarding the reaction to fire and issued the following  
classification report:*

**Klassifizierungsbericht Nr. 072681.1-Re**

Regarding the other characteristics the initial type testing according to EN 13950 was performed by the manufacturer.  
A factory production control system in compliance with EN ISO 9001 : 2008 adapted to EN 13950 is established to ensure that the construction products conform with the declared performance characteristics.

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	E	EN 13950
Water vapour resistance factor	NPD	EN 13950
Thermal resistance	2,55 m <sup>2</sup> ·K/W	EN 13950
Dangerous substances	NPD	EN 13950
Impact resistance	see system documentation of Saint-Gobain Rigips GmbH	EN 13950
Airborne sound insulation		
Acoustic absorption		

The performance of the product for which this DoP has been issued is in conformity with the declared performance.  
 This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:

Dr. Rüdiger Vogel, Managing Director  
 (name and function)

Düsseldorf, 18.02.2014  
 (place and date of issue )

(signature)

**Saint-Gobain Rigips GmbH**  
 Schanzenstr. 84 • D-40549 Düsseldorf