



**DECLARATION OF PERFORMANCE**

No.: Rigips\_Kombi\_Unterteil\_CD\_400\_LE\_0613

*Product Type*

**EN 13964 : Suspension component**

*Identification of the construction product*

**Rigips Kombi Unterteil CD 400**

**Batch identification consists of a four digit code for week and year of production embossed in the metal part of the suspension component**

*Intended use*

**Suspended ceiling substructure component for use internally in buildings**

*Manufacturer*

**Saint-Gobain Rigips GmbH  
Schanzenstraße 84  
D-40549 Düsseldorf**

*Systems of assessment and verification of constancy of performance*

**System 3 for the load bearing capacity  
System 4 for all other properties**

*The notified body*

**VHT Versuchsanstalt für Holz- und Trockenbau in Darmstadt  
- Kennnummer: NB 1503**

*issued the following classification report regarding the load bearing capacity:*

**Nr. G-1507-05/Pf**

Regarding the other characteristics the initial type testing according to EN 13964 was performed by the manufacturer.

A factory production control system in compliance with EN ISO 9001 : 2008 adapted to EN 13964 is established to ensure that the construction products conform with the declared performance characteristics.



# Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	A1	EN 13964
Load bearing capacity	0,40 KN	EN 13964
Dangerous substances	NPD	EN 13964


The performance of the product for which this DoP has been issued is in conformity with the declared performance.

This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:

Dr. Rüdiger Vogel, Managing Director  
(name and function)

Düsseldorf, 20.06.2018  
(place and date of issue)

  
(signature)

**Saint-Gobain Rigips GmbH**  
Schanzenstr. 84 · D-40549 Düsseldorf