DECLARATION OF PERFORMANCE

No.: Rigips_Ankerschnellabhänger_CD_250_LE_0317

Product Type

EN 13964 : Suspension component

Identification of the construction product

Rigips Ankerschnellabhänger CD 250
Batch identification consists of identification code of the production plant and of the production date printed on the cardboard box used as packaging for the product

Intended use

Suspended ceiling substructure component for use internally in buildings

Manufacturer

Saint-Gobain Rigips GmbH
Schanzenstraße 84
D-40549 Düsseldorf

Systems of assessment and verification of constancy of performance

System 3 for the load bearing capacity
System 4 for all other properties

The notified bodies

Instytut Techniki Budowlanej
- identification number: 1488
resp.
TSUS Bratislava
- identification number: 1301
performed the initial type testing regarding the load bearing capacity.

Regarding the other characteristics the initial type testing according to EN 13964 was performed by the manufacturer.
A factory production control system adapted to EN 13964 is established to ensure that the construction products conform with the declared characteristics.

Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	**A1**	**EN 13964**
Load bearing capacity	**250 N**	**EN 13964**
Dangerous substances	**NPD**	**EN 13964**

The performance of the product for which this DoP has been issued is in conformity with the declared performance.
This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:

Dr. Winfried Spickermann, Head of Product Development
(name and function)

Saint-Gobain Rigips GmbH
Dr.-Albert-Reimann-Straße 20 · D-68526 Ladenburg

Ladenburg, 20.03.2017
(place and date of issue)

ppa.: W. [illegible]
(signature)

Werner Hansmann, Managing Director
(name and function)

Saint-Gobain Rigips GmbH
Schanzenstr. 84 · D-40549 Düsseldorf

Düsseldorf, 03.04.2017
(place and date of issue)

(signature)