



DECLARATION OF PERFORMANCE

SAINT-GOBAIN

No.: Rigitone_Activ'Air_LE_0516

Product Type

EN 14190 : 2005-11 : Perforated plasterboard

Identification of the construction product

Rigitone Activ'Air

Batch identification consists of the production date printed on the pallet label and on the longitudinal edge of the boards

Intended use

SAINT-GOBAIN

Gypsum plasterboard product from reprocessing: Perforated plasterboard for ceilings and walls

Manufacturer

**Saint-Gobain Rigips GmbH
Schanzenstraße 84
D-40549 Düsseldorf**

Systems of assessment and verification of constancy of performance

**System 3 for reaction to fire
System 4 for all other properties**

The notified body

**Materialprüfanstalt für das Bauwesen MPA Bau Hannover
– identification number: 0764**

performed the initial type testing regarding the reaction to fire and issued the following classification report:

Klassifizierungsbericht Nr. 060301.1-Re

Regarding the other characteristics the initial type testing according to EN 14190 : 2005-11 was performed by the manufacturer.

A factory production control system in compliance with EN ISO 9001 adapted to EN 14190 is established to ensure that the construction products conform with the declared performance characteristics.

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	A2-s1, d0 (C.4)	EN 14190 : 2005-11
Shear strength per fastener	NPD	EN 14190 : 2005-11
Water vapour resistance factor	NPD	EN 14190 : 2005-11
Thermal conductivity	NPD	EN 14190 : 2005-11
Dangerous substances	NPD	EN 14190 : 2005-11
Airborne sound insulation	see system documentation of Saint-Gobain Rigips GmbH	EN 14190 : 2005-11
Impact resistance		
Acoustic absorption		

The performance of the product for which this DoP has been issued is in conformity with the declared performance.
 This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:

Dr. Winfried Spickermann, Head of Product Development
 (name and function)

Saint-Gobain Rigips GmbH
 Dr.-Albert-Reimann-Straße 20 · D-68526 Ladenburg

Ladenburg, 17.05.2018
 (place and date of issue)

ppa.: W. Spickermann
 (signature)

Werner Hansmann, Managing Director
 (name and function)

Saint-Gobain Rigips GmbH
 Schanzenstr. 84 · D-40549 Düsseldorf

Düsseldorf,
 (place and date of issue)

W. Hansmann
 (signature)