



DECLARATION OF PERFORMANCE

No.: Rigitone_Climafit_PE_LE_0315

Product Type

EN 14190 : Perforated plasterboard laminated with polyethylene foil for ceilings

Identification of the construction product

Rigitone Climafit mit rückseitiger Polyethylenfolien-Kaschierung
Batch identification consists of the production date printed on the pallet label

Intended use

Gypsum plasterboard product from reprocessing: Perforated plasterboard laminated with polyethylene foil for ceilings

Manufacturer

**Saint-Gobain Rigips GmbH
Schanzenstraße 84
D-40549 Düsseldorf**

Systems of assessment and verification of constancy of performance

**System 3 for reaction to fire
System 4 for all other properties**

The notified body

**Materialprüfanstalt für das Bauwesen MPA Bau Hannover
– identification number: 0764**

performed the initial type testing regarding the reaction to fire and issued the following classification report:

Klassifizierungsbericht Nr. 093434.1-Re

Regarding the other characteristics the initial type testing according to EN 14190 was performed by the manufacturer.

A factory production control system in compliance with EN ISO 9001 : 2008 adapted to EN 14190 is established to ensure that the construction products conform with the declared performance characteristics.

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	A2-s1, d0 (C.4)	EN 14190
Shear strength per fastener	NPD	EN 14190
Water vapour resistance factor	NPD	EN 14190
Thermal conductivity	NPD	EN 14190
Dangerous substances	NPD	EN 14190
Airborne sound insulation	see system documentation of Saint-Gobain Rigips GmbH	EN 14190
Impact resistance		
Acoustic absorption		

The performance of the product for which this DoP has been issued is in conformity with the declared performance.
This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:

Dr. Winfried Spickermann, Head of Product Development
(name and function)

Ladenburg, 13.01.2015
(place and date of issue)

Saint-Gobain Rigips GmbH
Dr.-Albert-Reimann-Str. 20 • D-68526 Ladenburg
ppa.: W. Spickermann
(signature)

Werner Hansmann, Managing Director
(name and function)

Düsseldorf, 16.01.2015
(place and date of issue)

Saint-Gobain Rigips GmbH
Schanzenstr. 84 • D-40549 Düsseldorf
W. Hansmann
(signature)